

RJ 45, Unshielded Modular Plug 8P8C, 50u", for stranded wire

MODEL: MP-U-050








Specification

- Focusing Material : Polycarbonate, UL 94V-2
- Material Contact: Phosphor Bronze
- Gold Plating: 50µ", the other area plated gold over FU"
- Contact area plated Nickel over 60u", the other area plated Nickel over 30u".
- Focusing Color: Transparent
- Operation Temperature: -20° ~ 80°C

SPECIFICATION MECHANICAL


1. Housing Material: Polycarbonate, ■ UL 94V-2, NO Poison
□ UL 94V-0, NO Poison
2. Material Contact: □ Brass, ■ Phosphor Bronze.
3. Gold Plating: □ FU" □ 2-3U" □ 3U" □ 6U" □ 15U" □ 30U" ■ 50U",
the other area plated gold over FU".
4. Contact area plated Nickel over 60u", the other area plated
Nickel over 30u".
5. Housing Color: Transparence.
6. Operation Temperature: -40 °c to 80 °c.



A	2004/11/11	初定版本		
		說明/DESCRIPTION		
版本/REV	日期/DATE	繪圖 DRAWING	日期 DATE	品名 Item
單位 UNIT	m/m	<i>Avien</i>	2004/11/11	規格 Description
比例 SCALE	1/1	<i>Chris</i>	2004/11/11	圖號 Part No
3RD		<i>Jason</i>	2004/11/11	

PU88-410-P01

C5e RJ45 8P8C (60U"), FOR STRANDED WIRE, 1 PIECES



A	2010/11/11	初定版本	說明/DESCRIPTION		
版本/REV	日期/DATE	繪圖	繪圖	日期	日期
單位	m/m	CHECKED	Chidy	2010/11/11	2010/11/11
比例	1/1	核對	Chris	2010/11/11	2010/11/11
3RD	☉	核准	Jason	2010/11/11	2010/11/11
		APPROVED			

品名	PU88-410-P01
規格	Phosphor Bronze, 19.3
圖號	
Part No	