


PDU Technology Specification

Product Name		Designated Power Distribution Unit for Cabinet			abinet	RoHS	Yes		
Part Number		AUE2250C1-08AHBEMB							
No.	lt	em			D	etailed Descri	ption		
1	Product Series		AUE2250 series						
2	Socket Typ	е		IEC320 C13 [8];					
3	Socket Quantity			8 way					
4	Power Inpu	ıt		Left end single input					
5	Bracket Install			Frontal installation					
6	Cable with plug			BS1363 13A plug					
7	Control Function			13A Master overload protecting & power indicator					
8	Protection Function			No protecting function					
9	Case			Black					
10	Cable Specification		3 x 1.5 mm² x 3M						
11	Product Size		L x W x H = 482 x 44.4 x 44.4 mm						
12	Mounting Length			461 mm					
13	Case Length			429 mm					
14	PDU Exponent								
15	Fittings			2pcs φ6×16mm cross bolt, 2pcs M6 float nut					
	Product Label			Product Name Designated Power Distribution Unit for Cabinet					
			Specification Model AUE2250C1-08AHBEMB						
			Rating voltage 250VAC 50/60Hz						
				Rating Current	13A				
16			Max. Current						
				Max. Power	3250W				
				Safety Authentication	CE	DE			
				Logo	RoHS				
			Producer						
No.	Ad	ld-In							
1	Socket assemble		NO						
2	Interior Connection Wire		1.5 mm ² (16AWG)						
3	Interior Connection Style		Standard connection						
4	Fix the Cab								
5	Module Assemble (from left to right)			Please refer to the drawing					
6	Others			NO					
Made by: Cu		Cus	stomer confirm:		Check:	Authorize:			

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.

NO::





BS1363 13A plug

DIMENS	SION AND TOL (Unit: mm)	ERANCES			
Length:	Mounting le	ength:			
Width: 4	14.4 Case lengtl	n:	Customer		
Height: 4	14.4 case tolera	nce: ± 1.0	Product name	Designated Power Distribution Unit for Cabinet	
	SIGN	DATE	Part number		
DRAWN			Customer's code		
CHK'D			Drawing number		
APP'D			Edition number		