

RJ 45, Unshielded Modular Plug 8P8C, 50u", for stranded wire

MODEL: IK-MP-U-050








Specification

- Focusing Material : Polycarbonate, UL 94V-2
- Material Contact: Phosphor Bronze
- Gold Plating: 50 μ " , the other area plated gold over FU"
- Contact area plated Nickel over 60u", the other area plated Nickel over 30u".
- Focusing Color: Transparent
- Operation Temperature: -20° ~ 80°C


SPECIFICATION MECHANICAL

1. Housing Material: Polycarbonate, UL 94V-2, NO Poison
 UL 94V-0, NO Poison
2. Material Contact: Brass, Phosphor Bronze.
3. Gold Plating: FU" 2-3U" 3U" 6U" 15U" 30U" 50U",
the other area plated gold over FU".
4. Contact area plated Nickel over 60u", the other area plated Nickel over 30u".
5. Housing Color: Transparency.
6. Operation Temperature: -40° c to 80° c.



A	2004/11/11	初定版本	說明/DESCRIPTION		
版本/REV	日期/DATE	繪圖	日期	日期	
單位	m/m	核對	DATE	DATE	DATE
比例	1/1	核對	DATE	DATE	DATE
SCALE		核對	DATE	DATE	DATE
3RD		核對	DATE	DATE	DATE
		核對	DATE	DATE	DATE
		核對	DATE	DATE	DATE
		核對	DATE	DATE	DATE

品名	PU88-410-P01
Item	
規格	C5e RJ45 8P8C (60U"), FOR STRANDED WIRE, 1 PIECES
Description	
圖號	
Part No	



A	2010/11/11	初定版本	初定版本		
版本/REV	日期/DATE	說明/DESCRIPTION	初定版本		
單位 UNIT	m/m	繪圖 DRAWING	<i>Chidy</i>	日期 DATE	2010/11/11
比例 SCALE	1/1	核對 CHECKED	<i>Chris</i>	日期 DATE	2010/11/11
3RD	☉	核准 APPROVED	<i>Jason</i>	日期 DATE	2010/11/11

品名 Item	PU88-410-P01
規格 Description	Phosphor Bronze, 19.3
圖號 Part No	